



INK & SPINDLE



CUSTOM MADE
ROLLER BLINDS



Curtains with contrast hem - bespoke printed featuring 'Sticks' in Bushleaf on Oatmeal Eco-linen

CURTAINS & BLINDS

Our range of curtains, roman blinds and roller blinds can be manufactured in your choice of design, colour & basecloth to suit your home. Select from our Ready-Made range of printed fabrics and plain basecloths, or Customise your own.

Our locally based workroom have over 40 years experience. Here in the studio we have been producing textiles for window furnishings for over 15 years.



Roman Blind - 'Mountainscape' in Cream on Indigo Heavyweight linen

Stiffened Roller Blind - 'Silver Dollar Gum' in Bluestone & Stream on Oatmeal Eco-linen

ROLLER BLINDS

Our printed roller blinds can be made with a full blackout lining or be stiffened as a single layer to create a light diffusing effect. They are a simple, space saving option which do not require a large volume of fabric. We can also supply plain sheer blinds to complement the look and add versatility to your windows.

Bonded & stiffened blinds can be produced with any of our light or medium weight fabrics (up to 290gsm).

Bonded blinds may experience some seasonable movement and may exhibit a small amount of "cupping" down the sides during warmer months, particularly for long and narrow blinds.



Bonded Roller Blind - 'Riverbend' in Snow
on Oatmeal Midweight Eco-linen

Bonded Roller Blind - 'Correa' in Bushleaf &
Moss on Oatmeal Midweight Eco-linen



Stiffened Roller Blind - 'Black Cockatoo' in
Pink Ochre on Oatmeal Midweight Eco-linen

There are a number of factors that influence the price of our Roller Blinds:

1) FABRIC SELECTION <ul style="list-style-type: none"> • Stock fabrics are less expensive than custom printed fabrics • Basecloth selection - weight and composition of the basecloth affects pricing 	3) CHAIN SELECTION <p>Our Roller Blinds are available with a range of chain colours, however stainless steel chains are an additional \$30ea.</p>
2) WINDOW DIMENSIONS <p>The width and height of your window determines the volume of fabric required and the manufacturing cost.</p>	4) MOTORISATION <p>Our Roller Blinds can be motorised (hard wired or battery operated) for an additional cost.</p>

PRICE GUIDE BASED ON A ROLLER BLIND FEATURING CUSTOM PRINTED FABRIC ON A MIDWEIGHT OATMEAL ECO-LINEN

BLIND LENGTH	BLIND WIDTH							
	UP TO 1200MM	1200MM – 1400MM	1400MM – 1600MM	1600MM – 1800MM	1800MM – 2000MM	2000MM – 2200MM	2200MM – 2400MM	2400MM – 2600MM
UP TO 1200MM	\$538	\$571	\$914	\$951	\$985	\$1,044	\$1,078	\$1,411
1200MM – 1400MM	\$551	\$586	\$929	\$968	\$1,005	\$1,066	\$1,102	\$1,443
1400MM – 1600MM	\$564	\$601	\$945	\$981	\$1,023	\$1,088	\$1,130	\$1,472
1600MM – 1800MM	\$652	\$687	\$1,105	\$1,140	\$1,216	\$1,264	\$1,306	\$1,727
1800MM – 2000MM	\$667	\$706	\$1,125	\$1,203	\$1,242	\$1,282	\$1,326	\$1,739
2000MM – 2200MM	\$766	\$808	\$1,340	\$1,385	\$1,424	\$1,458	\$1,495	\$1,981
2200MM – 2400MM	\$822	\$868	\$1,370	\$1,419	\$1,449	\$1,482	\$1,511	\$1,995
2400MM – 2600MM	\$835	\$889	\$1,394	\$1,450	\$1,480	\$1,505	\$1,534	\$2,008

ROLLER BLIND CONTROL OPTIONS

There are two control options for Roller Blinds:



CHAIN OPERATED SYSTEM

A regular chain operation for raising and lowering the blind by hand



MOTORISED SYSTEM

Our roller blinds can be motorised using either a hardwired system connected to your mains power supply, or a system with an internal rechargeable battery. A range of remote control options are available.

ROLLER BLIND LINING OPTIONS

THERMAL BLOCKOUT LINING

- Full light blocking
- High thermal value
- Protects your natural fibre blinds from UV


TRANSLUCENT LINING

(NOT AVAILABLE FOR ROLLER BLINDS)




UNLINED (STIFFENED)

- Allows diffuse light to pass through whilst still maintaining privacy
- Not suitable for windows with high UV exposure



ARCHITRAVE MOUNTED

- Recommended mounting position
- Does not block window when fully raised
- Higher thermal & light blocking performance than recessed blind, due to blind covering architrave
- Suitable for Normal/Under-rolling only



RECESS MOUNTED

- Can offer a cleaner, simpler finish
- Only suitable when there is a recess depth of around 50mm to accommodate bracket installation
- Can be mounted to top or sides of recess
- Poorer thermal & light blocking performance due to gap between blind and sides of recess
- Suitable for Normal/Under-rolling only



SINGLE BRACKET

Optional bracket covers available as shown (on request)



NORMAL DOUBLE BRACKET

Suitable for accommodating a sheer blind to pair with your blackout roller.



SLIMLINE DOUBLE BRACKET

Suitable for accommodating a sheer blind to pair with your blackout roller.


COLOUR OPTIONS (ALL BRACKET STYLES)

Black, White, Birch



Can accommodate any combination of front/reverse rolled blinds, please contact us to discuss suitability.

HOW TO MEASURE FOR ROLLER BLINDS



Roller blinds can be mounted to the face of the architrave or within a window recess (minimum 50mm depth). We do not recommend "reverse roll" or "over roll" blind orientation except in very specific circumstances.

For all blinds please advise your mounting preference and let us know if your window has a protruding sill. Please also let us know which side you would prefer the cord/chain.

- A Outside width of architrave
- B Outside height of architrave (measured to top of sill, if protruding)
- C Inside width of architrave / recess
- D Outside width of architrave / recess
- E Distance from ceiling or cornice to top of architrave

	CURTAINS	BONDED ROLLER BLIND	SHEER STIFFENED BLIND	ROMAN BLIND
OATMEAL LIGHTWEIGHT LINEN 160GSM	✓	*	*	**
BASALT & TERRACOTTA LIGHTWEIGHT LINEN 160GSM	✓	✓	✓	**
CREAM ORGANIC COTTON/HEMP 200GSM	✓	✓	✓	***
NATURAL 100% LINEN 200GSM	✓	✓	✓	***
MEDIUM-WEIGHT OATMEAL & FLAX ECO-LINEN 250GSM	✓	✓	✓	***
HEAVY-WEIGHT OFF-WHITE LINEN 370GSM	✓			✓
HEAVY-WEIGHT OATMEAL & FLAX ECO-LINEN 370GSM	✓			✓
HEAVY-WEIGHT WASHED LINEN IN INDIGO, SPINIFEX, SPICE, HONEY & GRANITE 400GSM	✓			✓

* Suitable for single width roller blinds (less than 1350mm wide), unless print has a high ink coverage which will disguise any shadow lines along the vertical seams

** We recommend avoiding lightweight linens for Roman Blinds as they risk having a creased appearance.

*** Medium weight linens are still slightly prone to creasing especially in homes that have poor insulation / high humidity. Creasing can be more noticeable on prints with pale inks (eg. Snow, Washed White) or prints with low ink coverage.

ROLLER BLINDS - INK COLOUR SUITABILITY

Not all ink colours are suitable for bonded roller blinds, particularly blinds wider than 1350mm which require vertical seams to make up the required width. Highly pigmented inks can 'migrate' when heat, moisture & pressure are applied when pressing & adhering seams on bonded blinds. See next page for a list of suitable ink colours.

MOVEMENT

As our fabrics are made with natural fibres there may be seasonal movements and slight stretching over time. Blinds or curtains that meet the floor or sill need to be measured and/or mounted to allow for a small amount of stretch over time (up to 10-20mm). Bonded blinds may experience some seasonable movement and may exhibit a small amount of "cupping" down the sides, particularly for long and narrow blinds.

UV EXPOSURE

Linen, organic cotton and hemp are all natural fibres, as a result they will eventually degrade when exposed to harsh UV light for long periods of time. The qualities we love about natural fibres (the fact that they can biodegrade and return to the earth at the end of their life) can also be their shortcoming. Windows that receive prolonged periods of direct sunlight (North or West facing windows without sufficient shading) are most at risk. For these windows we recommend a protective lining such as our Oeko-tex certified blackout lining or lightweight cotton/poly lining. As much as we celebrate and embrace natural fibres we also believe that the longevity of your product is of equal importance.

COLOUR CONSISTENCY

Our collection of basecloths are all made with natural fibres, most in their raw form with no dyeing or bleaching involved. As such there can be very minor seasonal colour variations between rolls of cloth. Our rolls are approximately 50m in length. Where possible we will complete each job from a single roll of cloth. However we cannot guarantee basecloth matching for jobs requiring greater than 50m, or the matching of products created at an earlier date. There is usually minimal visual difference between rolls.


SUITABLE



Washed White



Soft White



Snow



Greylead



Ash



Lilac



Indigo



Bluestone



Mist




Storm



Slate



Stream



Saltbush



Moss



Bushleaf




Fawn



Fennel



Wattleflower



Cream



Almond



Ginger



Rose



Riversalt



Pink Ochre



Davidson's Plum



Clay

CONDITIONAL



Coal



Tasman



Yellow Ochre



Turmeric



Brown Ochre



Earth

PROBLEMATIC



Black



Indigo



Rainforest



Rust



Desert Red



Deep Red

SUITABLE

Suitable for all Bonded Roller Blinds and Stiffened Blinds

CONDITIONAL

Some highly pigmented inks can bleed when subjected to heat & pressure, such as when pressing seams to make wider blinds. Therefore these inks are only suitable in specific circumstances, eg:

- suitable for blinds that do not require any vertical seams (1300mm wide or less)
- suitable for designs printed on our darker basecloths (anything other than cream)
- suitable for all stiffened blinds

PROBLEMATIC

These inks are highly pigmented and can cause issues with manufacturing, depending on the chosen design. Please contact us to discuss further.

PRINT QUALITY

Every length of meterage is hand-printed in our studio. It is a purely manual process and is therefore subject to subtle variations. Although we go to great lengths to ensure consistent output, it is impossible for hand-printed fabric to match the machine precision of manufactured fabrics.

Your custom printed length of fabric may exhibit some subtle imperfections in print quality. This is part of what gives hand-printed fabric its charm and beauty. There may be small areas which have slightly lighter or heavier ink coverage, or there may be minute variations in the ink colour as each batch of ink is mixed to a recipe by hand.

PATTERN MATCHING

Furnishings greater than approx 1300mm wide will require multiple drops which will be pattern matched. Roman or roller blinds will feature a full width centre drop, with two narrower drops on either side for symmetry. Due to the hand-printed nature of our fabrics there may be small inconsistencies in this pattern match - particularly with two colour prints. Below are some images to illustrate:



COLOUR SAMPLING

Colour sampling is highly recommended - please either purchase colour samples via our website or visit our showroom to view colours in person, as we cannot perfectly render our colours across all digital devices. Please note that the basecloth can slightly alter the appearance of a colour, so it is best to order colour samples on your basecloth of choice.

WINDOW FURNISHINGS - SELF MEASURING

If you are supplying your own window measurements please note that we cannot take responsibility for any mismeasurements or complications that have not been communicated prior to manufacturing. You are responsible for notifying us of any potential obstructions (furniture, fixtures, pelmets etc). If you are unsure as to how or where your blind will be mounted please talk to us and ensure you are fully informed. Retail customers providing their own measurements are encouraged to supply an image of each window to avoid any such complications. Any alterations or remake costs incurred are to be covered by the customer if the issue is a result of mismeasurement, obstructions or mounting issues.

ORDER CONFIRMATION

For custom orders of fabric or window furnishings it is the customers responsibility to check over all details & measurements on the invoice provided and ensure they are correct. We take no responsibility for changes made via email or phone where no written confirmation has been received.

FURTHER INFORMATION

For more information on our custom printed meterage: www.inkandspindle.com/customise

For more information on our custom made window furnishings: www.inkandspindle.com/window-furnishings

Inspiration gallery: www.inkandspindle.com/inspiration

We look forward to working with you!

ROLLER BLIND ORDER FORM

MEASUREMENTS & FABRIC

WINDOW NAME	WINDOW SIZE (MM)				FABRIC			LINING
	ARCHITRAVE WIDTH (A)	ARCHITRAVE HEIGHT (B)	RECESS WIDTH (C)	RECESS HEIGHT (D)	PRINT NAME	INK COLOUR	BASECLOTH	TRANSLUCENT/ BLOCKOUT

COMMENTS: