

INK & SPINDLE

INSTALLATION GUIDE

ROMAN BLINDS

Thank you for purchasing an Ink & Spindle Roman blind!
We hope it looks lovely in your home.

Please find below a simple guide for installing the blind yourself, please don't hesitate to contact us if you need any further assistance.




Face Fixed Roman Blind - cord operated

Face fixed Roman Blinds are mounted to the wall or architrave using the supplied L brackets. You will need to supply your own screws depending on the material being fixed into timber, plaster, brick etc.

First determine the position of each bracket. The brackets should be roughly evenly spaced along the headboard, but not obstructing any mechanisms.

Using a levelling tool, mark the position for each L bracket at the desired height. Each L bracket features a slot shaped hole which will allow you to make small adjustments to their vertical position before fixing firmly into place. Screw your L bracket into the wall/architrave as shown.



With the blind in the fully upright position, rest the headboard of the blind on top of the brackets and mark the screw location with a pencil.

INK & SPINDLE



Drill a pilot hole in the marked location.



Screw upwards through the brackets into the headboard to fix in place.

If your blind is not hanging perfectly straight you can make adjustments to the vertical position of the brackets by adjusting the slot screws.

Please see next page for cleat installation and important safety information.

Recess Fitted Roman Blind - cord operated

With the blind in the fully upright position, position the headboard in its desired location within the recess.

Screw upwards through the headboard into the ceiling of the recess. You may need to drill some pilot holes first. You will need to supply your own screws depending on the material being fixed into - timber, plaster, brick etc.

Please see next page for cleat installation and important safety information.

INK & SPINDLE



Roman Blind Safety - cord operated blinds

For all cord operated blinds a cleat must be attached to the wall or architrave. For safety please ensure that you also install the cleat at least 1600mm above floor level to keep out of reach of children.

WARNING: Young children have died by wrapping loose curtain and blind cords or chains around their necks. Secure loose cords around the cleat at all times.

Roman Blinds with Headrail/Chain System

1) Whilst the blind is in the fully upright position, you will need to unclip the chain system and remove it from the headboard. To unclip the chain system from each white bracket, you need to push the clear piece in (located between the headboard and the chain system - see image A) and then slightly twist it out of the bracket. It's best to work from one end and unclip them one by one.

2) Once the chain system is removed you can proceed with installing the blind as per the instructions above (Face Fixed or Recess fitted).

3) Once the blind is installed, you can then put the chain system back into the white brackets. Again it's best to work from one end and clip them back in one by one. The metal casing has a little give in it so that it can be slightly twisted to get it back into the bracket. Please ensure that the chain system is aligned with the pencil marks on the headboard to ensure it is put back in the correct position - see image B.

